Delock M.2 Docking Station for M.2 NVMe PCIe SSD with USB Type-C™ female

Description

This M.2 docking station by Delock enables the installation of an **M.2 PCIe NVMe SSD** and it can be connected via USB to the PC or laptop. The included USB cables allow the connection to a free USB Type-A or USB-C™ port.

Ideal test equipment
The memory is **simply plugged** into the **robust metal housing** and can be used immediately. No screws, tools or accessories are required, which means that the SSD can be changed quickly.

Specification

• Connectors:
  1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
  1 x 67 pin M.2 key M slot
• Chipset: Asmedia ASM2362
• Supports M.2 modules with key M or key B+M based on PCIe (NVMe)
• Supports NVM Express (NVMe)
• Bootable
• Data transfer rate up to 10 Gbps
• LED indicator for power and access
• 1 x On / Off switch
• Metal housing
• Dimensions (LxWxH): ca. 49 x 49 x 12 mm
• Hot Plug, Plug & Play

System requirements

• Chrome OS 78.0 or above
• Linux Kernel 4.3 or above
• Mac OS 10.15.2 or above
• Windows 8.1/8.1-64/10/10-64
• PC or laptop with a free USB Type-C™ port or
• PC or laptop with a free USB Type-A port

Package content

• M.2 docking station
• Cable USB-C™ male to USB-C™ male, length ca. 30 cm
• Cable USB-C™ male to USB Type-A male, length ca. 30 cm
• User manual

Item no. 64000

EAN: 4043619640003

Country of origin: China

Package: • Retail Box

Images

General	
Function:	Plug & Play
	bootable
Supported operating system:	Chrome OS 78.0 or above
	Linux Kernel 4.3 or above
	Mac OS 10.15.2 or above
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
LED indicator:	1 x
Interface	
Connector 1:	1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
Connector 2:	1 x 67 pin M.2 key M slot
Technical characteristics	
Chipset:	Asmedia ASM2362
Data transfer rate:	10 Gbps
Physical characteristics	
Length:	49 mm
Width:	49 mm
Height:	12 mm
Colour:	silver